



LOC I-DUJ 109.9	APP CRS 252°	Rwy Idg TDZE Apt Elev	5503 1817 1817
---------------------------	------------------------	-----------------------------	---

ILS or LOC RWY 25

DUBOIS RGNL (DUJ)

⚠ Circling NA for Cat D south of Rwy 7-25. For inop ALS, increase S-LOC 25 Cats C/D visibility to 1½ SM.	MALSR	MISSED APPROACH: Climb to 2900 then climbing left turn to 4200 on heading 060° and ETG VORTAC R-276 to HONLU/ETG 22 DME/RADAR and hold.
--	--	--

ASOS 119.025	CLEVELAND CENTER 126.725 291.65	UNICOM 123.0 (CTAF) 0
------------------------	---	---------------------------------



2900	4200	ETG R-276	HONLU	JIMUM OM	CELSY INT ETG 19.6
hdg 060°				3352	
				3400	4200
				4.6 NM	12.4 NM
					GS 3.00° TCH 57
CATEGORY	A	B	C	D	
S-ILS 25	2017-½		200 (200-½)		
S-LOC 25	2280-½ 463 (500-½)		2280-1 463 (500-1)		
CIRCLING	2320-1 503 (600-1)	2360-1 543 (600-1)	2380-1½ 563 (600-1½)	2400-2 583 (600-2)	

WAAS CH 97407 W25A	APP CRS 252°	Rwy Idg TDZE Apt Elev	5503 1817 1817
--	------------------------	-----------------------------	---

RNAV (GPS) RWY 25

DUBOIS RGNL (DUJ)


RNP APCH.

Circling NA for Cat D south of Rwy 7-25. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -21°C or above 54°C. For inop ALS increase LNAV Cat C/D visibility to 1½ SM.


MALSR

MISSED APPROACH: Climb to 4200 direct EEYES and hold.

ASOS 119.025	CLEVELAND CENTER 126.725 291.65	UNICOM 123.0 (CTAF) 0
------------------------	---	--



ELEV 1817	D	TDZE 1817
------------------	----------	------------------



4200

EEYES

5 NM

Holding Pattern

*LNAV only.

RW25

DUBOI

CELSY

1.3

3.5 NM

12.2 NM

252°

253°

073°

253°

3400

6000

4200

GP 3.00°

TCH 57

CATEGORY	A	B	C	D
LPV DA	2017-½ 200 (200-½)			
LNAV/VNAV DA	2140-½ 323 (400-½)			
LNAV MDA	2280-½ 463 (500-½)		2280-1 463 (500-1)	
C CIRCLING	2320-1 503 (600-1)	2360-1 543 (600-1)	2380-1½ 563 (600-1½)	2400-2 583 (600-2)

HIRL Rwy 7-25 **0**
REIL Rwy 7 **0**

WAAS CH 82116 W07A	APP CRS 072°	Rwy Idg 5503 TDZE 1817 Apt Elev 1817
--	------------------------	---

RNAV (GPS) RWY 7
DUBOIS RGNL (DUJ)


RNP APCH.




Circling NA for Cat D south of Rwy 7-25. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -21°C or above 54°C.

MISSED APPROACH: Climb to 4200
direct CELSY and hold.

ASOS 119.025	CLEVELAND CENTER 126.725 291.65	UNICOM 123.0 (CTAF) 0
------------------------	---	---------------------------------



ELEV	1817	D	TDZE	1817
------	------	----------	------	------



CATEGORY	A	B	C	D
LPV DA	2017- ³ / ₄		200 (200- ³ / ₄)	
LNAV/VNAV DA	2160-1		343 (400-1)	
LNAV MDA	2240-1	423 (500-1)	2240-1 ¹ / ₄	423 (500-1 ¹ / ₄)
C CIRCLING	2320-1 503 (600-1)	2360-1 543 (600-1)	2380-1 ¹ / ₂ 563 (600-1 ¹ / ₂)	2400-2 583 (600-2)

