

|  |                        |                             |   |
|--|------------------------|-----------------------------|---|
| WAAS<br>CH <b>56429</b><br><b>W14A</b> | APP CRS<br><b>135°</b> | Rwy Idg<br>TDZE<br>Apt Elev | <b>5006</b><br><b>678</b><br><b>678</b> |
|--|------------------------|-----------------------------|---|




# RNAV (GPS) RWY 14

CHEROKEE COUNTY (J50)

Baro-VNAV NA when using Nacogdoches altimeter setting. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -16°C (4°F) or above 54°C (130°F). When local altimeter setting not received, use Nacogdoches altimeter setting and increase all DA to 1046 feet and increase LPV visibility 1/8 SM and LNAV/VNAV visibility 1/4 SM; increase all MDA 120 feet and LNAV visibility Cat C 3/8 SM, Circling visibility Cat C 1/4 SM. DME/DME RNP-0.3 NA. VDP NA with Nacogdoches altimeter setting.

**MISSED APPROACH:**  
Climb to 3100 direct  
NOPCI and hold.

|                          |  |                               |
|--------------------------|--|-------------------------------|
| AWOS-3<br><b>119.075</b> | LONGVIEW APP CON *<br><b>128.75 379.15</b> | UNICOM<br><b>122.7 (CTAF)</b> |
|--------------------------|--|-------------------------------|



| CATEGORY     | A                     | B                     | C                             | D  |
|--------------|-----------------------|-----------------------|-------------------------------|----|
| LPV DA       | 928-1                 | 250 (300-1)           |                               | NA |
| LNAV/VNAV DA | 928-1                 | 250 (300-1)           |                               | NA |
| LNAV MDA     | 1080-1                | 402 (500-1)           | 1080-1 1/8<br>402 (500-1 1/8) | NA |
| CIRCLING     | 1080-1<br>402 (500-1) | 1140-1<br>462 (500-1) | 1280-1 3/4<br>602 (700-1 3/4) | NA |

REIL Rwy 14  
MIRL Rwy 14-32

SC-5, 16 JUN 2022 to 14 JUL 2022

SC-5, 16 JUN 2022 to 14 JUL 2022

|  |                        |                             |   |
|--|------------------------|-----------------------------|---|
| WAAS<br>CH <b>90327</b><br><b>W32A</b> | APP CRS<br><b>315°</b> | Rwy Idg<br>TDZE<br>Apt Elev | <b>5006</b><br><b>665</b><br><b>678</b> |
|--|------------------------|-----------------------------|---|


# RNAV (GPS) RWY 32

CHEROKEE COUNTY (JSO)



Baro-VNAV NA when using Nacogdoches altimeter setting. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -16°C (4°F) or above 54°C (130°F). When local altimeter setting not received, use Nacogdoches altimeter setting and increase DA 118 feet, increase all MDA 120 feet and LPV, LNAV/VNAV visibility all Cats ¼ mile, LNAV and Circling Cat C visibility ¾ mile. When VGSi inop, Straight-in/Circling Rwy 32 procedure NA at night. DME/DME RNP-0.3 NA. Visibility reduction by helicopters NA.

**MISSED APPROACH:** Climb to 3100 direct WOSUL and hold.

|                          |   |                               |
|--------------------------|---|-------------------------------|
| AWOS-3<br><b>119.075</b> | LONGVIEW APP CON*<br><b>128.75 379.15</b> | UNICOM<br><b>122.7 (CTAF)</b> |
|--------------------------|---|-------------------------------|



|          |          |
|----------|----------|
| ELEV 678 | TDZE 665 |
|----------|----------|



| CATEGORY     | A      | B           | C                       | D  |
|--------------|--------|-------------|-------------------------|----|
| LPV DA       | 915-1  | 250 (300-1) |                         | NA |
| LNAV/VNAV DA | 915-1  | 250 (300-1) |                         | NA |
| LNAV MDA     | 1220-1 | 555 (600-1) | 1220-1½<br>555 (600-1½) | NA |
| CIRCLING     | 1220-1 | 542 (600-1) | 1280-1¾<br>602 (700-1¾) | NA |

SC-5, 16 JUN 2022 to 14 JUL 2022

SC-5, 16 JUN 2022 to 14 JUL 2022

|  |                        |                             |   |
|--|------------------------|-----------------------------|---|
| VOR/DME FZT<br><b>111.4</b><br>Chan 51 | APP CRS<br><b>121°</b> | Rwy Idg<br>TDZE<br>Apt Elev | <b>5006</b><br><b>678</b><br><b>678</b> |
|--|------------------------|-----------------------------|---|




# VOR RWY 14

CHEROKEE COUNTY (JSO)

DME required.

MISSED APPROACH: Climbing right turn to 2500 direct FZT VOR/DME and hold.

|                          |  |                                 |
|--------------------------|--|---------------------------------|
| AWOS-3<br><b>119.075</b> | LONGVIEW APP CON *<br><b>128.75 379.15</b> | UNICOM<br><b>122.7 (CTAF) 0</b> |
|--------------------------|--|---------------------------------|



| CATEGORY | A                     | B                     | C                       | D  |
|----------|-----------------------|-----------------------|-------------------------|----|
| S-14     | 1080-1                | 402 (500-1)           | 1080-1¼<br>402 (500-1¼) | NA |
| CIRCLING | 1080-1<br>402 (500-1) | 1140-1<br>462 (500-1) | 1280-1¾<br>602 (700-1¾) | NA |

REIL Rwy 14  
MIRL Rwy 14-32 0

SC-5, 16 JUN 2022 to 14 JUL 2022

SC-5, 16 JUN 2022 to 14 JUL 2022