APP CRS	Rwy Idg	3252
146°	TDZE	391
	Apt Elev	391

RNAV (GPS) RWY 15

CALDWELL MUNI (RWV)

When local altimeter setting not received, use College Station altimeter setting and increase all MDA 60 feet. Circling NA east of Rwy 15-33. DME/DME RNP-0.3 NA. Procedure NA at night. Helicopter visibility reduction below 1 SM NA.

MISSED APPROACH: Climb to 2000 direct KOKEC and hold.

AWOS-3PT	HOUSTON APP CON	CTAF
118.35	134.3 360.85	122.9 L



RADAR REQUIRED



MIRL Rwy 15-33 L







CATEGORY	A	B	C	D
LNAV MDA	960-1	569 (600-1)	NA	
CIRCLING	1000-1 609 (700-1)	1220-1¼ 829 (900-1¼)	NA	

SC-5, 22 FEB 2024 to 21 MAR 2024
SC-5, 22 FEB 2024 to 21 MAR 2024

RNAV (GPS) RWY 33

CALDWELL MUNI (RWV)

APP CRS	Rwy Idg	3010
326°	TDZE	390
	Apt Elev	391

When local altimeter setting not received, use College Station altimeter setting and increase all MDA 60 feet. Circling NA east of Rwy 15-33. DME/DME RNP-0.3 NA. Procedure NA at night. Rwy 33 helicopter visibility reduction below 1 SM NA.

MISSED APPROACH: Climb to 2500 direct NUPSY and hold.

AWOS-3PT	HOUSTON APP CON	CTAF
118.35	134.3 360.85	122.9 (L)



CATEGORY	A	B	C	D
LNAV MDA	760-1	370 (400-1)	NA	
CIRCLING	1000-1 609 (700-1)	1220-1¼ 829 (900-1¼)	NA	

SC-5, 22 FEB 2024 to 21 MAR 2024
SC-5, 22 FEB 2024 to 21 MAR 2024

VORTAC CLL	APP CRS	Rwy Idg	N/A
113.3	243°	TDZE	N/A
Chan 80		Apt Elev	391

VOR/DME-A

CALDWELL MUNI (RWV)

When local altimeter setting not received, use College Station altimeter setting and increase MDA 60 feet. Circling NA east of Rwy 15-33. Procedure NA at night.

MISSED APPROACH: Climb to 2000 then climbing left turn to 2100 direct CLL VORTAC and hold.

AWOS-3PT	HOUSTON APP CON	CTAF
118.35	134.3 360.85	122.9 L









CATEGORY	A	B	C	D
CIRCLING	1000-1 609 (700-1)	1220-1¼ 829 (900-1¼)	NA	

SC-5, 22 FEB 2024 to 21 MAR 2024
SC-5, 22 FEB 2024 to 21 MAR 2024