


ILS or LOC/DME RWY 33
SHERIDAN COUNTY (SHR)

MISSED APPROACH: Climb to 7000 on heading 326° and on SHR VOR/DME R-127 to SHR VOR/DME and hold, continue climb-in-hold to 7000.

UNICOM
123.0 (CTAF) **L**




7000 ↑ hdg 326°		SHR R-127	SHR ☐	Use I-SHR DME when on the localizer course.			
*LOC only.		CIVSA I-SHR 2.3	I-SHR 4.9	NITLE I-SHR 8.1	FEKLI I-SHR 11.5	SORKE I-SHR 15.3	KEKNE I-SHR 21.5
I-SHR 1.5		5100*		6100*	7200	7900	One Minute Holding Pattern
0.8		2.6 NM	3.2 NM	3.4 NM	3.8 NM	6.3 NM	146° → 9100 ← 326°
CATEGORY		A		B		C	D
S-ILS 33				4185-½		200 (200-½)	
S-LOC 33				4280-½		295 (300-½)	
C CIRCLING		4600-1 579 (600-1)	4640-1 619 (700-1)	4860-2½ 839 (900-2½)		5220-3 1199 (1200-3)	

WAAS CH 81899 W15A	APP CRS 146°	Rwy Idg 8301 TDZE 4014 Apt Elev 4021
--	------------------------	---


RNAV (GPS) RWY 15
SHERIDAN COUNTY (SHR)

RNP APCH.	MISSED APPROACH: Climb to 4500 then climbing left turn to 7100 direct HERKA and hold, continue climb-in-hold to 7100.
▼ ▲ ❄ Circling to Rwy 24 NA at night. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -26°C or above 51°C. When local altimeter setting not received, procedure NA. -19°C	

ASOS 135.175	SALT LAKE CENTER 127.75 351.9	UNICOM 123.0 (CTAF) 1
------------------------	---	---------------------------------



7 NM Holding Pattern		RAMVE		MONSE		JVOX 2.3 NM to RW15		HERKA △	
12000 ← 326° 7000 → 146°		6000		6000		*1.6 NM to RW15		*LNAV only	
GP 3.00° TCH 50		6.1 NM		3.8 NM		0.7 NM		1.6 NM	
CATEGORY		A		B		C		D	
LPV DA		4264-3/4		250 (300-3/4)					
LNAV/ VNAV DA		4292-7/8		278 (300-7/8)					
LNAV MDA		4560-1 546 (600-1)		4560-1 5/8 546 (600-1 5/8)					
CIRCLING		4600-1 579 (600-1)		4640-1 619 (700-1)		4860-2 1/2 839 (900-2 1/2)		5220-3 1199 (1200-3)	



23278

RNAV (GPS) RWY 33
SHERIDAN COUNTY (SHR)


MALSR

   -19°C


Circling to Rwy 24 NA at night. Baro-VNAV NA.
When local altimeter setting not received, procedure NA.

MISSED APPROACH: Climbing left turn to 7300 direct SHR VOR/DME and hold, continue climb-in-hold to 7300.

ASOS 135,175	SALT LAKE CENTER 127.75 351.9	UNICOM 123.0 (CTAF) 0
------------------------	---	---------------------------------



ELEV 4021	D	TDZE 3985
-----------	----------	-----------

[illegible]



SHERIDAN COUNTY (SHR)
RNAV (GPS) RWY 33

VOR/DME SHR	APP CRS	Rwy Idg	8301
113.55	131°	TDZE	4014
Chan 82(Y)		Apt Elev	4021


VOR RWY 15
SHERIDAN COUNTY (SHR)

When local altimeter setting not received, procedure NA. Night landing: Rwy 24 NA.	MISSED APPROACH: Climbing left turn to 7000 direct SHR VOR/DME and hold, continue climb-in-hold to 7000.
---	---

ASOS 135,175	SALT LAKE CENTER 127.75 351.9	UNICOM 123.0 (CTAF) 0
-----------------	----------------------------------	--------------------------



CATEGORY	A	B	C	D
S-15	4680-1	666 (700-1)	4680-1 7/8	666 (700-1 7/8)
CIRCLING	4680-1	659 (700-1)	4860-2 1/2 839 (900-2 1/2)	5220-3 1199 (1200-3)



NW-1, 22 FEB 2024 to 21 MAR 2024

NW-1, 22 FEB 2024 to 21 MAR 2024