

BNGOS

MRENO

5000

TAKEOFF MINIMUMS

MFRKS


Rwy 9L: Standard with minimum climb of 500' per NM to 1300. Rwy 9R: Standard with minimum climb of 500' per NM to 1500. Rwy 13: Standard with minimum climb of 500' per NM to 1800. Rwy 27L: Standard with minimum climb of 500' per NM to 1900. Rwy 27R: Standard with minimum climb of 500' per NM to 1700. Rwy 31: Standard with minimum climb of 500' per NM to 1400.

5000

*1400

270°

(8)



NOTE: Chart not to scale.

V

DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAYS 9L/R: Climb on heading 093° or as assigned for RADAR vectors to cross MRENO at 5000, thence. . .

TAKEOFF RUNWAY 13: Climb on heading 133° or as assigned for RADAR vectors to cross MRENO at 5000, thence.

TAKEOFF RUNWAYS 27L/R: Climb on heading 273° or as assigned for RADAR vectors to cross MRENO at 5000, thence. . .

TAKEOFF RUNWAY 31: Climb on heading 313° or as assigned for RADAR vectors to cross MRENO at 5000, thence. . .

. . .on track 322° to BNGOS, then on transition, maintain ATC assigned altitude, expect clearance to filed altitude within 10 minutes after departure.

COREA TRANSITION (BNGOS3.COREA) DOLIE TRANSITION (BNGOS3.DOLIE) MERKS TRANSITION (BNGOS3.MERKS)